Election Day Preparation

Tuesday Elections

• Commissioners must report by **5:30 a.m.** with voting beginning at **6:00 a.m.**

Saturday Elections

• Commissioners must report to the precinct by **6:30 a.m.** with voting beginning at **7:00 a.m.**

Election Day Preparation

- Commissioners are strongly encouraged to "early vote"
- Remember to pack your meals, drinks, and snacks. At no time can anyone leave the precinct to run errands, pick up food, etc.
- You can bring a book, crossword puzzles or needlework but **NO** newspaper, TV, or radio which might contain political commentary. Commissioners are not allowed to engage in political discussion while working at the polls.
- You are **not allowed** to have anyone stay at the precinct and visit with you










Election Day Preparation

Review your election materials the day before the election

- Look at your **"SOS info pamphlet"** and refresh your knowledge of the forms and procedures you'll be using
- Review any agenda that you received at the specific school or in the mail
- NEVER rely on your memory. Laws, procedures, and forms keep changing





Election Day Etiquette

- YOU are an extension of the SOS and COC office
- Your attire, personal appearance, and hygiene should be professional but comfortable
- Shorts, low-cut blouses, short skirts, and "sleepwear" are **NOT** appropriate for election day
- Dress in neutral colors so no voter believes you belong to a certain party or are supporting a candidate





Election Morning Procedures

- C-I-C receives the voting machine keys from the Custodian
- C-I-C administers the Oath to the Commissioners
- C-I-C directs the Commissioners to their opening duties
- Open the supply and audio machines
- Set up voting machines
- Post required materials for public view
- Complete the safety inspection form
- Organize and fill out paperwork
- Complete machine certificate section #1
- Affidavit of Payroll and Non-Disclosure (partial completion)
- Process supplemental listing(s)-if required
- Inspect the surrounding areas of the facility to ensure that no political signage is within the 600-foot radius. This should also be done throughout the day. Please call the Clerk of Court's Elections department with any concerns.

Voting Machine Keys

• The Deputy custodian gives the **"A" key envelope** directly to the C-I-C

Pg. 4

• The **voting machine numbers** are listed on the front of the envelope. Verify that they match your actual machine numbers

	THIS ENVELOPE CO VOTING MACHINE		
WARD:	1	PRECINCT:	15
LOCATION:	123 Green	Street, Baton Rou	ige
PRECINCT REGISTE	R SEAL NUMBER(S):	1000	005
AS FOLLOWS:			
Voting Machine Number	Cartridge Seal Number	Public Counter Number	Protective Counter Number
	37152	0	1558
→ 11662	37153	0	1559

Voting Machine Keys

Also, listed on the front of the envelope is the **precinct register seal number (ROV bag seal), cartridge seal** number, and the **protective counter** number for each machine. Verify that each of these numbers are accurate.

- The <u>precinct register seal number</u> is found on the <u>red</u> plastic tab on the ROV bag
- The <u>cartridge seal number</u> is found on the **red** plastic tab that is threaded through the plastic lid covering the results cartridge in the back of the machine
- The **protective counter number** is the number of votes cast over the life of the machine. It's found on the left-hand side of the voting machine operator panel window

Seal	KE THIS ENVELOPE CO VOTING MACHINE	NTAINS KEYS OF	
WARD:	1	PRECINCT:	15
LOCATION:	123 Green	Street, Baton Rou	ige
PRECINCT REGISTE	R SEAL NUMBER(S):	1000	005
S FOLLOWS:			
Voting Machine Number	Cartridge Seal Number	Public Counter Number	Protective Counter Number
11661	37152	0	1558 🧲
11662	37153	0	1559 🧲
	·		

Opening the Supply Machine

The "**supply machine**", also known as the lead machine, has a label on the top. It should be opened first as it contains most of your election supplies found in a green canvas bag.

Precinct 101

Ward 1 Community Building 13055 Hwy 190 Goodbee

LEAD MACHINE:

<u>30874</u>-30876

USE YELLOW BANDED KEY TO OPEN BACK DOOR



Opening the Supply Machine

In the green canvas bag:

- General forms zipper bag with all recyclable forms
- **Precinct Specific Envelope** which contains all your election specific materials and signs that should be posted
- Clear plastic zipper bag for election night cartridges and machine tapes which will be delivered to the Clerk's office on election night (*pg. 67*)
- Election night checklist, safety checklist, incident report, and tell us about your day
- Blue Painters Tape
- Informational Pamphlet for Election Day Voting (IP-ELECT DAY)
- Yellow Pad
- Pens
- Laminated Audio Voting Keypad Quick Chart
- Page Magnifier and Magnifying Ruler
- Braille Book for Audio Voting Instructions (AVK-B)
- Federal Election Only Braille Book for Federal Elections/Provisional Voting Information(CI-S1) in the Braille Book Envelope (BBE)




Pgs. 10-11

Opening the Audio Machine

The "audio machine" (your second machine) also has a label on the top. It contains a sealed **green** *nylon* **bag, also known as the ROV bag.**

Inside the ROV bag you will find:

• **Precinct register** (a **black** binder with an alphabetical listing of registered voters in the precinct) and map







101

Opening the Audio Machine

- Break the zipper's **red** seal & place in the **green** *canvas* supply bag
- This seal number must be recorded on #7 on section #1 of the machine certificate (*pg. 30*)
- The **audio ballot equipment** in the **black** bag, will also be included in your audio machine (*pg. 26*)
- **DON'T** open this bag unless this equipment is needed






Always Think Safety

Precinct setup:

- Secure all power cords with painter's tape
- Make sure the floors are not wet or slippery
- Access to emergency doors should NOT be blocked
- Make sure to lock the voting machine's wheels



Always Think Safety

Inspect the location's premises:

- Make sure there are enough working lights outside or in the parking areas for voter's safety
- Walking path should be free of any obstructions or potential tripping hazards
- Report any issues immediately to our Elections Department and document them in the Notations of Irregularities form. Use a ball point pen and press firmly.






CO		OF THE ELECTION	INSTRUCTIONS: USE A BAL POINT PEN – PRESS FIRML
Election Date:	Parish:	Ward:	Precinct:
machines, (2) the physical condition numbers listed on the Key Envelope totals, such as if you have a "fled vo	tion of irregularities observed during the e of the voting machines or election mater a K do not makin the seal numbers on the ter' who fails to make a selection and you clude your name, time, description, and	ats. (3) if a voting machine's zero proof s voting machine(s) or precinct register; therefore have more voters in the precin	report does not register zero; (4) if and (5) any other matter affecting v
1.			
2.			
3.			
4.			
5.			
6.			
7.			
ommissioner Signatures:			
	QCSignature	CIC Painted Name	-
Commissioner Signature	Commissioner Signature	Commissioner Signature	Commissioner Signature
Commissioner Printed Name	Commissioner Printed Name	Commissionar Printed Name	Commissioner Printed Name
	te Clear Zipper Bag for delivery to the Clerk	of Court. Duplicate (Yellow Copy) open in	the S-19 Secretary of State Envelope



- Use the **"YELLOW CAPPED key**" to open the back door of the AVC voting machine
- Remove the operator panel






Pg. 17



Position the control panels facing each other, so the commissioner activating the machines doesn't have to keep walking around the machines

Pg. 18

Look for the **RED** POWER SWITCH and turn it $\frac{1}{4}$ turn to the left to the "**ON**" position & wait for "Ready to Open Polls Election" to appear on the operator panel



- When the voting machine has completely powered on, compare the **protective counter** number (lifetime number of votes on the machine), on the operator panel to the number listed on the "A" key envelope
- <u>The public counter</u> number (number of votes for that specific election on the machine), must be "0"
- If the protective counter number doesn't match or the public counter number is not "0" you must call the Elections Department immediately
- The operator panel will read "READY TO OPEN POLLS ELECTION"



Pg. 19

Pg. 19

Using the "**SILVER** key", put key into poll switch and turn the key ¹/₄ turn to the left to the "**OPEN**" position, then remove the key. (Be careful not to jiggle or force this switch – it causes big problems!)



Your operator panel will now read "VOTER INACTIVE/POLLS

OPEN"




The AVC machine will now start to automatically print a "**zero proof**" **report.** Once that report is printed, you must verify all the information is accurate, fill in the date, have all Commissioners sign, and post at the entrance of the precinct.

Pg. 20

While the zero-proof report is printing, set up the front of each AVC machine



5. Retrieve the privacy curtain from the storage tube located at the bottom of the voting machine. To do this, push in one of the small release buttons, pull the cap off and remove the curtain



After Machine Setup

Pg. 27

When the printer completely stops printing, carefully tear off the zero-proof report from the printer:

- Lock the back of the machine
- Place the machine keys inside the "B" key envelope and seal the envelope. All the Commissioners must sign and place the envelope in a secure location.

	VOTING MACHINE KEY ENVE	LOPE (DURING EL	ECTION)
	ST. TAMMANY	WARD or DISTRICT	PRECINCT 420
BEFORE election, C	ommissioners fill in voting machine nun 9.6.7. 9.6.8.	nber in blanks and sigr	1 below.
	him Mary A con	keys which belong to MUSSIONER UT M	Adraw
If keys to	Commissioners keep this envelope sea o the voting machine are needed during ection official for repair, execute certific lope.	the election DUR	S SEALED RING VOTING
envelope	Commissioners remove keys to close vo a if any machine was opened for repair. this envelope.		
B-02 (Rev. 4/0	8) Issued by SECRETA	RY OF STATE	

Machine Certificate #1

- 1. Time the machine keys were delivered and machine serial numbers
- 2. Machine Cartridge Seal Numbers
- 3. Public Counter Numbers (found on machine's operator panel)
- 4. Protective Counter Numbers (found on machine's operator panel)
- 5. Any visible damage to the machines
- 6. Compare data on zero report to data on ballots
- 7. Precinct Register Seal (ROV Bag Seal)

MACHINE CERTIFICATES - MC-52								
NSTRUCTIONS: USE A BALL POINT PEN - PRESS FIRMLY								
WE THE UNDERSIGNED COMMISSIONERS for WARD 01, PRECINCT 01, PARISH OF East Baton Rouge, STATE OF LOUISIANA, hereby certify that we have recorded and verified the following information in accordance with the provisions of the election code.								
I. CERTIFICATE NO. 1 - FILLED IN AT THE OPENING OF POLLS								
		MACHINE	MACHINE	MACHINE	MACHINE	MACHINE	MACHINE	MACHINE
 At <u>6:30</u> a.m., voting machine keys were delivered. Key numbers were compared to machine serial numbers. Machine serial numbers were the following: 	Serial #	1167	1168	1169	1170			
 SEAL NUMBERS were compared to cartridge seal number on the Key Envelope A. Cartridge seal numbers were the following: 	Seal #	1111	2222	3333	4444			
 PUBLIC COUNTER NUMBERS (right side of the operator panel) were the following (should be 	Public Counter #	0	0	0	0			
	Protective Counter #	1125	1000	1100	1200			
5. List any visible damage prior to the start of the election to a voting machine by serial number: $ ightarrow$	Visible Damage	None	None	None	None			
6. Check the Official Zero Proof Reports to make sure all are zeros (000) and then compare report to sample hallet and AVC hallet on the machine face to confirm they are the same. (Yes or No)	Report, Sample & AVC Ballot Match?	Yes	Yes	Yes	Yes			
7. The Precinct Register was delivered with seal number(s):		547	7651		1	1		
					$\sim R$	OV F	Sag S	leol



Pgs. 29-30

OFFICIAL ELECTION ZERO PROOF REPORT

Date	4/5/2016		Time	6:40
Serial Numl	ber	#1 on MC		1167
Protective C	Counter	#4 on MC		1125
Public Cour	nter	#3 on MC		0
Precinct/Dis WARD	strict l Precinct 32	в		
Polling Plac	e ID		1	1033202
Ballot Versi Report Sour		Machine Memo	ory	
	AL ELECTI	GE PARISH ON		
	С	andidate Totals		
Candidate ***		***		Total ***
* LAV C2	W ENF DS	PROP		(1)
D12 D13	YES NO			0
* P/W Cl4	MET CNC 4	L PROP 1		(1)
D24 D25	YES NO			C C
* P/W E2	MET CNC	L PROP 2		(1)
F13 F14	YES NO			0 0
	EI	ection Officer	\$	
		e Complete Be		
	Proces	sing the First	voter	

hereby certify that on the

were Opened.

Signed:

day of Artil 20 16 the Public Candidate, and Question Counters were found to be zero and the Protective Counter read 1125 before the Polls

> Joseph King Janet Lee

Sharon Law Louis BLack

WE THE UNDERSIGNED COMMISSIONERS for WARD 01 , PRECINC certify that we have recorded and verified the following information in accordance with the		, PARISH (DF	East Bate	ton Rouge , STATE OF LOUISIANA, he			
I. CERTIFICATE NO. 1 - FILLED IN AT THE OPENING OF POLLS		oobon oodo.						
		MACHINE	MACHINE	MACHINE	MACHINE			
 At <u>6:30</u> a.m., voting machine keys were delivered. Key numbers were compared to machine serial numbers. Machine serial numbers were the following: 	→ Serial #	1167	1168	1169	1170			
 SEAL NUMBERS were compared to cartridge seal number on the Key Envelope A. Cartridge seal numbers were the following: 	→ Seal#	1111	2222	3333	4444			
 PUBLIC COUNTER NUMBERS (right side of the operator panel) were the following (should be zero): 	🏲 Counter #	0	0	0	0			
4. PROTECTIVE COUNTER NUMBERS (left side of the operator panel) were the following:	→ Protective Counter #	1125	1000	1100	1200			
5. List any visible damage prior to the start of the election to a voting machine by serial number: .	Damage	None	None	None	None	<u>#5 on MC</u>		
 Check the Official Zero Proof Reports to make sure all are zeros (000) and then compare reports sample ballot and AVC ballot on the machine face to confirm they are the same. (Yes or No) 		Yes	Yes	Yes	Yes	Visible Damage		
7. The Precinct Register was delivered with seal number(s):5476		·						
#2 on MC	#7 o	n MC	3			n MC		
Machine Cartridge	ROV	/ Bag	; Sea	1		ck zero proof rts and make		
Seal Number, <mark>red</mark>		68	5		sure	all "Zeros"		
seal located in the						atch with sample		
back of the machine		TERM		lot and AVC				
back of the machine						ot on the		
and the second					mach	hine face.		
Fill in the Date	of							
Election					_			
ALL Commissio	ner's	1						
Signatures								

MACHINE CERTIFICATES - MC-52

, hereby

INSTRUCTIONS: USE A BALL POINT PEN - PRESS FIRMLY

Remember to post one Zero proof report per machine, so they are visible to the public